

**CENTRAL SERICULTURAL RESEARCH & TRAINING  
INSTITUTE  
BERHAMPORE, WEST BENGAL**

**1. LIST OF TECHNOLOGIES DEVELOPED / BEING DEVELOPED DURING  
XI PLAN (2007-2012) FOR THE EASTERN & NORTH-EASTERN REGION:**

**A. LIST OF TECHNOLOGIES DEVELOPED: 25 Nos.**

Sl. No.	Project outcome	No. of Technologies
1	New Mulberry genotype <b>C-2038</b> for irrigated condition is under AICEM trial	1
2	New Mulberry genotype <b>Tr-23</b> for acid soil is under AICEM trial	1
3	Mulberry genotype <b>C-2028</b> has been identified as flood tolerant in the low land at farmers' field. The genotype will be released for large-scale trial.	1
4	<i>Multi x Multi</i> hybrid: <b>N x M.Con4</b> for unfavourable seasons	1
5	<i>Multi x Multi</i> hybrid: <b>M.Con1 x M.Con4</b> for unfavourable seasons	1
6	<i>Multi x Bi</i> hybrid: <b>M.Con1 x B.Con4</b> for unfavourable seasons (April-Oct.)	1
7	<i>Multi x Bi</i> hybrid: <b>M. Con4 x B.Con4</b> for favourable seasons	1
8	B x Bi Foundation hybrid <b>SK6 x SK7</b> as male component for preparation of Multi x Bi hybrid for unfavourable seasons. (Authorized PRAP)	1
9	Multi x Bi hybrid: <b>M6D(P)C x [SK6 x SK7]</b> for favourable seasons. (Authorized PRAP)	1
10	Multi x Bi. Hybrid: <b>N x (SK6 x SK7)</b> for favourable seasons. (under MSRAP (Phase – VIII))	1
11	Multi x Bi. Hybrid: <b>M6DP (C) x SK4 (C)</b> for favourable seasons. (under MSRAP (Phase – VIII))	1
12	Season specific Rearing Package was developed for sericulture farmers of West Bengal to enhance their cocoon productivity in all the commercial crop seasons.	1
13	Mulberry based parallel cropping system, mulberry in combination with green gram, cowpea, mustard and amaranth during March-May, June-Aug, Sept-Nov and Dec-Feb seasons have been identified to fetch additional income by the farmers.	1
14	Three botanicals (Neem oil, Pongamia oil and Nicotine formulations) were identified for effective management of mulberry pests viz. Thrips, Mealy bug and Whitefly.	1
15	Sericillin as new bed disinfectant for control of major silkworm diseases over the Labex.	1
16	Use of Vermicompost @ 30 mt/ha/yr for enhancing mulberry leaf yield and quality as an eco-friendly approach.	1
17	Ready reckoner for soil Test-based NPK application for irrigated and rainfed conditions.	1
18	The sulphur application package developed as a balanced use of fertilizer based on nutrient removal pattern to optimize the quality mulberry leaf production per unit	1

	area and to maintain the soil fertility as well.	
19	Paired Row System of mulberry plantation was found better for leaf production & additional income through intercropping.	1
20	Application of antitranspirants KCl (1%) for increasing mulberry leaf yield under rainfed condition.	1
21	Package for increasing mulberry yield through Integrated Nutrient Management for the farmers of rainfed areas of Jharkhand has been developed.	1
22	For <i>in situ</i> soil moisture conservation, Napier grass mulch was found effective in soil moisture conservation with higher mulberry leaf production in Odisha condition.	1
23	Application of recommended doses of lime has increased leaf yield under rainfed condition of Odisha state. [Application of lime @ 1.67 mt/ha (0.125 LR) to bring soil pH from 4.5 to 7, in split doses spread over 8 years].	1
24	Shoot rearing technology was found adventitious for silkworm rearing as labour saving approach at farmers' level at North-Eastern region.	1
25	Application of growth promoter, Kinetin + KCl for mulberry growth and leaf yield.	1
<b>Total</b>		<b>25 Nos.</b>

**B. TECHNOLOGIES IN PIPE LINE: 7 Nos.**

Sl. No.	Project outcome	No. of Technologies
1	New Mulberry genotype <b>CT-44</b> identified as cold tolerant genotype	1
2	<b>B. Con1 x B. Con4 (Bi x Bi)</b> all seasons except May to June in West Bengal	1
3	<b>D6(P)N x SK4(C)</b> (Bi x Bi) for spring season	1
4	<b>M6DP (C) x D6(P)N</b> ( Multi x Bi) for favourable seasons	1
5	<b>M6DP(C) x [D6(P)N x SK4 (C)]</b> ( Multi x Bi) for favourable seasons	1
6	Integrated package for raising chawki leaves and young age silkworm rearing has been developed.	1
7	Effective concentration of new insecticide was identified for control of whitefly.	1
<b>Total</b>		<b>7 Nos.</b>